



Basic Details

Organisation Chain	Bokaro Power Supply Company (P) Limited Material Management Department - BPSCL		
Tender Reference Number	25-26/PUR-281/NIT-084		
Tender ID	2026_BPSCL_263659_1	Withdrawal Allowed	Yes
Tender Type	Open Tender	Form of contract	Tender cum Auction
Tender Category	Goods	No. of Covers	2
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	No
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No

Payment Instruments

Offline	S.No	Instrument Type
	1	Demand Draft
	2	Bankers Cheque
	3	Bank Guarantee
	4	Bankers Pay Order(BPO)
	5	NEFT
	6	R-T-G-S

Cover Details, No. Of Covers - 2

Cover No	Cover	Document Type	Description
1	Fee/PreQual/Technical	.pdf	EMD
		.pdf	Techno-Commercial Offer
2	Finance	.xls	Price Bid as per BOQ

Tender Fee Details, [Total Fee in ₹ * - 0.00]

Tender Fee in ₹	0.00		
Fee Payable To	Nil	Fee Payable At	Nil
Tender Fee Exemption Allowed	No		

EMD Fee Details

EMD Amount in ₹	1,00,000	EMD Exemption Allowed	Yes
EMD Fee Type	fixed	EMD Percentage	NA
EMD Payable To	Bokaro Power Supply Company (P) Limited	EMD Payable At	Bokaro Power Supply Company (P) Limited

[Click to view modification history](#)

Work /Item(s)

Title	Oxygen Analyzer for Flue Gas Monitoring				
Work Description	Oxygen Analyzer for Flue Gas Monitoring				
Pre Qualification Details	As per NIT				
Independent External Monitor/Remarks	NA				
Show Tender Value in Public Domain	No				
Tender Value in ₹	90,41,227	Product Category	Miscellaneous Goods	Sub category	NA
Contract Type	Tender	Bid Validity(Days)	180	Period Of Work(Days)	120
Location	Power Plant, BPSCL,Stores,Bokaro Steel City	Pincode	827001	Pre Bid Meeting Place	NA
Pre Bid Meeting Address	NA	Pre Bid Meeting Date	NA	Bid Opening Place	BPSCL ADM Office, Ispat Bhawan, Bokaro Steel City
Should Allow NDA Tender	No	Allow Preferential Bidder	No		

Critical Dates

Publish Date	20-Jan-2026 03:00 PM	Bid Opening Date	11-Feb-2026 11:00 AM
Document Download / Sale Start Date	20-Jan-2026 03:00 PM	Document Download / Sale End Date	10-Feb-2026 11:00 AM
Clarification Start Date	NA	Clarification End Date	NA
Bid Submission Start Date	20-Jan-2026 03:30 PM	Bid Submission End Date	10-Feb-2026 11:00 AM

Tender Documents

NIT Document	S.No	Document Name	Description	Document Size (in KB)
	1	Tendernotice_1.pdf	Notice Inviting Tender	248.56

Work Item Documents	S.No	Document Type	Document Name	Description	Document Size (in KB)
	1	Tender Documents	TDPUR281.pdf	Tender Document	570.03
	2	BOQ	BOQ_305845.xls	BOQ	398.00

Auto Extension Corrigendum Properties for Tender

Iteration	No. of bids required for bid opening a tender	Tender gets extended to No. of days
1.	3	7
2.	3	7

Bid Openers List

S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	amit.kumar@bpscl.com	Amit Kumar	AMIT KUMAR
2.	pratyush.singh@bokaropower.in	PRATYUSH SINGH	PRATYUSH SINGH
3.	sweta.rani@bokaropower.in	SWETA RANI	SWETA RANI
4.	g.gorakhnath@bpscl.com	Goyeena Gorakhnath	GOYEENA GORAKHNATH

GeMARPTS Details

GeMARPTS ID	7I6UZVKWL4V
Description	Procurement Of Oxygen Analyzer for Flue Gas Monitoring
Report Initiated On	20-Jan-2026
Valid Until	19-Feb-2026

Tender Properties

Auto Tendering Process allowed	No	Show Technical bid status	Yes
Show Finance bid status	Yes	Stage to disclose Bid Details in Public Domain	Financial Evaluation
BoQ Comparative Chart model	Normal	BoQ Comparative chart decimal places	2
BoQ Comparative Chart Rank Type	L	Form Based BoQ	No
Adopt Tender Cum Auction New Process	No		
Bidders Elimination Process Required	No		

TIA Undertaking

S.No	Undertaking to Order	Tender complying with Order	Reason for non compliance of Order
1	TIA UNDERTAKING GEM	Agree	
2	PPP-MII Order 2017	Agree	
3	MSEs Order 2012	Agree	

Tender Inviting Authority

Name	AGM MM
Address	BPSCL MM Dept., ADM Office, Ispat Bhawan, Bokaro Steel City

Tender Creator Details

Created By	Amit Kumar
Designation	Senior Manager
Created Date	20-Jan-2026 01:40 PM